

**AMENDMENTS TO THE CLAIMS**

*Please amend the claims as follows:*

1. (Currently Amended) An image processing server, comprising:

a communication unit that receives image data from a mobile communication device, the image data having been sensed by the mobile communication device;

a specifier that specifies a position of the mobile communication device based on global positioning system (GPS) information relating to a base station representing a communication region where the image data was sensed by the mobile communication device;~~and~~

an adder that adds first position information indicative of the specified position to the image data as attribute information of the image data; and

a database that stores GPS information for a plurality of base stations;

wherein the specifier specifies the position of the mobile communication device based on the base station related information, the base station being used in transmitting the image data, and the database storing the GPS information in association with the base station related information.

2. (Canceled)

3. (Previously presented) The image processing server of claim 1, wherein the first position information includes at least one of GPS information, address information and a place name.

4. (Currently amended) The image processing server of ~~claim 2~~claim 1, wherein the base station related information includes a base station number of the base station.

5. (Currently Amended) An image processing server, comprising:

a communication unit that receives image data and first global positioning system (GPS) position information, the image data have been sensed by a mobile communication device and the first GPS position information relating to a base station representing a communication region where the image data was sensed by the mobile communication device; ~~and~~

an adder that adds second position information, indicative of a position where the image sensor in the mobile communication device sensed the image data, to the image data sensed by the image sensor as attribute information of the image data based on the first position information; and

a database that stores GPS information for a plurality of base stations;

wherein the first position information indicates the position of the mobile communication device based on the base station related information, the base station being used in transmitting the image data, and the database storing the GPS information in association with the base station related information.

6. (Previously presented) The image processing server of claim 5, wherein the first position information includes at least one of GPS information, address information and a place name.

7. (Previously Amended) The image processing server of claim 5, wherein the second position information includes at least one of a base station number and a place name, obtained from a base station.

8. (Original) The image processing server of claim 1, wherein the adder adds the first position information to an exchangeable information file (Exif) tag of the image data.

9. (Previously Amended) The image processing server of claim 5 wherein the adder adds the second position information to an exchangeable information file (Exif) tag of the image data.

10. (Previously Amended) The image processing server of claim 8, further comprising:  
an adder that adds the Exif tag to the image data if the image data received from the mobile communication device does not include an Exif tag.

11. (Previously Amended) The image processing server of claim 9, further comprising:  
an adder that adds the Exif tag to the image data if the image data received from the mobile communication device does not include an Exif tag.

12. (Currently Amended) An image processing server, comprising:  
means for receiving image data from a mobile communication device, the image data having been sensed by the mobile communication device;

means for specifying a position of the mobile communication device based on global positioning system (GPS) information relating to a base station representing a communication region where the image data was sensed by the mobile communication device; ~~and~~

means for adding first position information indicative of the specified position to the image data as attribute information of the image data; and

a database for storing GPS information for a plurality of base stations;

wherein the means for specifying specifies the position of the mobile communication device based on the base station related information, the base station being used in transmitting the image data and the database storing the GPS information in association with the base station related information.

13. (Canceled)

14. (Previously presented) The image processing server of claim 12, wherein the first position information includes at least one of GPS information, address information and a place name.

15. (Previously Amended) The image processing server of claim 12, wherein the base station related information includes a base station number of the base station.

16. (Currently Amended) An image processing server, comprising:

means for receiving image data and first global positioning system (GPS) position information, the image data having been sensed by a mobile communication device and the first GPS position information relating to a base station representing a communication region where the image data was sensed by the mobile communication device; and

means for adding second position information, indicative of a position where an image sensor in the mobile communication device sensed the image data, to the image data sensed by the image sensor as attribute information of the image data based on the first position information; and

a database for storing GPS information for a plurality of base stations; and

wherein the first position information indicates the position of the mobile communication device based on the base station related information, the base station being used in transmitting the image data, and the database storing the GPS information in association with the base station related information.

17. (Previously presented) The image processing server of claim 16, wherein the second position information includes at least one of GPS information, address information and a place name.

18. (Previously Amended) The image processing server of claim 16, wherein the first position information includes at least one of a base station number and a place name, obtained from a base station.

19. (Original) The image processing server of claim 12, wherein the means for adding adds the first position information to an exchangeable information file (Exif) tag of the image data.

20. (Previously Amended) The image processing server of claim 16, wherein the means for adding adds the second position information to an exchangeable information file (Exif) tag of the image data.

21. (Currently amended) A method of providing location information to image data, the location information indicative of the location where the image data was sensed, comprising:

receiving a message from a mobile communication device, the message including image data sensed by the mobile communication device;

specifying a base station used to transmit the received message;

acquiring location information associated with the specified base station from a database for storing GPS information for a plurality of base stations; and

adding the acquired location information to the received image data as attribute information.